



## High Performance Cable Protection Systems



*"Unsurpassed in Cable Protection and Strain Relief"*



aerosusa.com  
service@aerosusa.com  
717.238.1444

|                    |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|--------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                    |  |  |  |  |  |  |  |  |  |
|                    | <b>PA 6</b><br>medium wall<br>for most applications<br>self-extinguishing         | <b>PA 6-D</b><br>heavy wall<br>for heavy applications<br>self-extinguishing       | <b>PA 6-L</b><br>medium wall<br>economical<br>flame retardant                     | <b>PA 6-UL-SD</b><br>medium wall<br>UL Listed<br>self-extinguishing                | <b>PA 6-HT</b><br>medium wall<br>high temperature<br>self-extinguishing             | <b>PA 6-CU</b><br>medium wall<br>CU over braided<br>EMC applications                | <b>PA 12+</b><br>medium wall<br>multi-layer<br>high flexibility                     | <b>DUO PA 6</b><br>2 piece divisible<br>for retrofitting<br>flame retardant         | <b>FLEXAzip</b><br>slit with closing strip<br>for retrofitting<br>flame retardant   |
| Recognition        |  |  |  |   |  |  |  |                                                                                     |                                                                                     |
| Size range OD      | 10 - 95 / 1/4" to 4"                                                              | 10 - 54.5 / 1/4" to 2"                                                            | 10 - 54.5 / 1/4" to 2"                                                            | 21.2 - 54.5 / 1/2" to 2"                                                           | 10 - 54.5 / 1/4" to 2"                                                              | 13 - 54.5 / 5/16" to 2"                                                             | 10 - 54.5 / 1/4" to 2"                                                              | 10 - 79 / 1/4" to 3"                                                                | 13 - 54.5 / 5/16" to 2"                                                             |
| Material           | Polyamide 6                                                                       | Polyamide 6                                                                       | Polyamide 6                                                                       | Polyamide 6                                                                        | Polyamide 6                                                                         | Polyamide 6                                                                         | Polyamide 12                                                                        | Polyamide 6                                                                         | Polyamide   TPE                                                                     |
| Temperature range  | -40°F ... +248°F<br>-40°C ... +120°C                                              | -40°F ... +248°F<br>-40°C ... +120°C                                              | -13°F ... +248°F<br>-25°C ... +120°C                                              | -13°F ... +248°F<br>-25°C ... +120°C                                               | -13°F ... +302°F<br>-25°C ... +170°C                                                | -40°F ... +248°F<br>-40°C ... +120°C                                                | -58°F ... +248°F<br>-50°C ... +120°C                                                | -40°F ... +248°F<br>-40°C ... +120°C                                                | -40°F ... +212°F<br>-40°C ... +100°C                                                |
| Protective system  | IP 68   69K                                                                       | IP 68   69K                                                                       | IP 68   69K                                                                       | IP 68   69K                                                                        | IP 68   69K                                                                         | IP 68   69K                                                                         | IP 68   69K                                                                         | IP 40                                                                               | IP 40                                                                               |
| Flamability Rating | V0 [UL 94]<br>HB for sizes 56 - 95                                                | V0 [UL 94]                                                                        | HB [UL 94]                                                                        | V2 [UL 94]                                                                         | V2 [UL 94]                                                                          | HB [UL 94]                                                                          | V2 [UL 94]                                                                          | HB [UL 94]                                                                          | HB [UL 94]                                                                          |

## CONNECTORS

- N NPT thread - M metric thread - P PG thread - C CTG thread - U UNEF thread





|                                                                                                                                                                                                    |        |    | PA 6-L                                                                              | PA 6                                                                                | PA 6-D                                                                                            | PA 6-UL-SD                                                                             | PA 6-CU                                                                                                      | PA 6-HT                                                                                                 | PA 12+                                                                                                         | DUO PA 6                                                                                         | FLEXAzip                                                                             |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| Fine Profile <br>Coarse Profile  |        |    | Flexible<br>Medium Wall<br>HB [UL94]<br>UV Resistant<br>-13°F ... + 248°F ^ + 302°F | Flexible<br>Medium Wall<br>V0 [UL94]<br>UV Resistant<br>-40°F ... + 248°F ^ + 302°F | Flexible<br>Heavy Wall<br>High Impact<br>V0 [UL94]<br>UV Resistant<br>-40°F ... + 248°F ^ + 302°F | Flexible<br>Medium Wall<br>UL Listed<br>V2 [UL94]<br>UV Resistant<br>-13°F ... + 248°F | Flexible<br>Use with RGE Fitting<br>EMC Shielded<br>HB [UL94]<br>UV Resistant<br>-40°F ... + 248°F ^ + 302°F | Flexible<br>Medium Wall<br>High Temperature<br>V2 [UL94]<br>UV Resistant<br>-13°F ... + 302°F ^ + 338°F | Highly Flexible<br>Continuous Motion<br>Multilayer<br>V2 [UL94]<br>UV Resistant<br>-58°F ... + 248°F ^ + 302°F | Divisible 2 Piece<br>Retrofittable<br>Use with Duo Fittings<br>UV Resistant<br>-40°F ... + 248°F | Slit<br>Retrofittable w/closure<br>strip & tool<br>UV Resistant<br>-40°F ... + 212°F |
| Trade                                                                                                                                                                                              | Metric | NW |                                                                                     |                                                                                     |                                                                                                   |                                                                                        |                                                                                                              |                                                                                                         |                                                                                                                |                                                                                                  |                                                                                      |
| 1/4"                                                                                                                                                                                               | 10.0   | 7  | 0261.202.006                                                                        | 0233.202.006                                                                        | 0237.202.006                                                                                      |                                                                                        |                                                                                                              | 0254.202.006                                                                                            | 1236.202.006                                                                                                   | 0269.202.006                                                                                     |                                                                                      |
| 5/16"                                                                                                                                                                                              | 13.0   | 10 | 0261.202.010                                                                        | 0233.202.010                                                                        | 0237.202.010                                                                                      |                                                                                        | 0461.702.010                                                                                                 | 0254.202.010                                                                                            | 1236.202.010                                                                                                   | 0269.202.008                                                                                     | 0255.202.110                                                                         |
| 3/8"                                                                                                                                                                                               | 15.8   | 12 | 0261.202.012                                                                        | 0233.202.012                                                                        | 0237.202.012                                                                                      |                                                                                        | 0461.702.012                                                                                                 | 0254.202.012                                                                                            | 1236.202.012                                                                                                   | 0269.202.010                                                                                     | 0255.202.112                                                                         |
| 1/2"                                                                                                                                                                                               | 21.2   | 17 | 0261.202.016                                                                        | 0233.202.016                                                                        | 0237.202.016                                                                                      | 0238.202.016                                                                           | 0461.702.016                                                                                                 | 0254.202.016                                                                                            | 1236.202.016                                                                                                   | 0269.202.014                                                                                     | 0255.202.116                                                                         |
|                                                                                                                                                                                                    |        |    | 0261.232.016                                                                        | 0233.232.016                                                                        | 0237.232.016                                                                                      |                                                                                        |                                                                                                              |                                                                                                         |                                                                                                                |                                                                                                  |                                                                                      |
| 3/4"                                                                                                                                                                                               | 28.5   | 23 | 0261.202.023                                                                        | 0233.202.023                                                                        | 0237.202.023                                                                                      | 0238.202.023                                                                           |                                                                                                              | 0254.202.023                                                                                            | 1236.202.023                                                                                                   | 0269.202.020                                                                                     | 0255.202.123                                                                         |
|                                                                                                                                                                                                    |        |    | 0261.232.023                                                                        | 0233.232.023                                                                        | 0237.232.023                                                                                      |                                                                                        |                                                                                                              |                                                                                                         |                                                                                                                |                                                                                                  |                                                                                      |
| 1"                                                                                                                                                                                                 | 34.5   | 29 | 0261.202.029                                                                        | 0233.202.029                                                                        | 0237.202.029                                                                                      | 0238.202.029                                                                           | 0461.702.029                                                                                                 | 0254.202.029                                                                                            | 1236.202.029                                                                                                   | 0269.202.026                                                                                     | 0255.202.129                                                                         |
|                                                                                                                                                                                                    |        |    | 0261.232.029                                                                        | 0233.232.029                                                                        | 0237.232.029                                                                                      |                                                                                        |                                                                                                              |                                                                                                         |                                                                                                                |                                                                                                  |                                                                                      |
| 1 1/4"                                                                                                                                                                                             | 42.5   | 36 | 0261.202.036                                                                        | 0233.202.036                                                                        | 0237.202.036                                                                                      | 0238.202.036                                                                           | 0461.702.036                                                                                                 | 0254.202.036                                                                                            | 1236.202.036                                                                                                   | 0269.202.032                                                                                     | 0255.202.136                                                                         |
|                                                                                                                                                                                                    |        |    | 0261.232.036                                                                        | 0233.232.036                                                                        | 0237.232.036                                                                                      |                                                                                        |                                                                                                              |                                                                                                         |                                                                                                                |                                                                                                  |                                                                                      |
| 1 1/2"-2"                                                                                                                                                                                          | 54.5   | 48 | 0261.202.048                                                                        | 0233.202.048                                                                        | 0237.202.048                                                                                      | 0238.202.048                                                                           | 0461.702.048                                                                                                 | 0254.202.048                                                                                            | 1236.202.048                                                                                                   | 0269.202.043                                                                                     | 0255.202.148                                                                         |
|                                                                                                                                                                                                    |        |    | 0261.232.048                                                                        | 0233.232.048                                                                        | 0237.232.048                                                                                      |                                                                                        |                                                                                                              |                                                                                                         |                                                                                                                |                                                                                                  |                                                                                      |
| 3"                                                                                                                                                                                                 | 70     |    | **Use with Multi fittings and gaskets see below                                     |                                                                                     | **0206.202.070                                                                                    |                                                                                        | Use with RGE Fittings see below                                                                              |                                                                                                         |                                                                                                                | 0269.202.061                                                                                     |                                                                                      |
| 4"                                                                                                                                                                                                 | 95     |    |                                                                                     |                                                                                     | **0206.202.095                                                                                    |                                                                                        |                                                                                                              |                                                                                                         |                                                                                                                |                                                                                                  |                                                                                      |

| Multi Accessories |       | Multi - GFP                                                                                                             | Multi - WFP                                                                                                             | Multi - FRM                 | Multi - FRM68                     |
|-------------------|-------|-------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|-----------------------------|-----------------------------------|
| Trade Size        | OD mm | <br>IP54...IP69K<br>-40°F ... + 248°F | <br>IP54...IP69K<br>-40°F ... + 248°F | Gasket<br>To Attain<br>IP66 | Gasket<br>To Attain<br>IP68 / 69K |
| 3"                | 70    | 5032.206.070                                                                                                            | 5032.207.070                                                                                                            | 5032.208.070                | 5032.211.070                      |
| 4"                | 95    | 5032.206.095                                                                                                            | 5032.207.095                                                                                                            | 5032.208.095                | 5032.211.095                      |

| FDA                                    |        | Approved Food System / Liquid Tight                      |                                                     |                                                                                     |                                                            |
|----------------------------------------|--------|----------------------------------------------------------|-----------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------|
| Conduit Size                           |        | Galvanized Steel w/ PU Sheath IP 68<br>-13°F ... + 194°F | Non-Metallic All Plastic IP 68<br>-13°F ... + 167°F |  | Stainless Steel Conduit Fitting IP 68<br>-40°F ... + 257°F |
| Trade                                  | Metric |                                                          |                                                     |                                                                                     |                                                            |
| 1/2"                                   | 21.2   | 2083.914.016                                             | 0220.904.016                                        | M20x1.5<br>M25x1.5                                                                  | 0608.800.020<br>0608.800.125                               |
| 3/4"                                   | 28.5   | 2083.914.021                                             | 0220.904.021                                        | M25x1.5                                                                             | 0608.800.025                                               |
| 1"                                     | 34.5   | 2083.914.026                                             | 0220.904.029                                        | M32x1.5                                                                             | 0608.800.032                                               |
| 1 1/4"                                 | 42.5   | 2083.914.035                                             | 0220.904.038                                        | M40x1.5                                                                             | 0608.800.040                                               |
| FDA / NSF / ANSI 51 / ECOLAB Certified |        |                                                          |                                                     |                                                                                     |                                                            |



| RGE-M        |         |                                                                                                           |
|--------------|---------|-----------------------------------------------------------------------------------------------------------|
| Conduit Size |         | <br>-40°F ... + 230°F |
| Metric       | Thread  |                                                                                                           |
| 13.0         | M12x1.5 | 5126.013.012                                                                                              |
| 15.8         | M16x1.5 | 5126.015.016                                                                                              |
| 21.2         | M20x1.5 | 5126.021.020                                                                                              |
| 34.5         | M32x1.5 | 5126.034.032                                                                                              |
| 42.5         | M40x1.5 | 5126.042.040                                                                                              |
| 54.5         | M50x1.5 | 5126.054.050                                                                                              |

**AEROSUSA**

service@aerosusa.com

www.aerosusa.com

717.238.1444

| Trade Size  | OD mm | Thread Size | <br>IP50<br>-40°F ... + 248°F |  |
|-------------|-------|-------------|-------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| 3/8"        | 15.8  | M16x1.5     | 5128.015.216                                                                                                      | 0318.000.016                                                                         |
|             |       | M20x1.5     | 5128.015.220                                                                                                      | 0318.000.020                                                                         |
| 1/2"        | 21.2  | M20x1.5     | 5128.021.220                                                                                                      | 0318.000.020                                                                         |
|             |       | M25x1.5     | 5128.021.225                                                                                                      | 0318.000.025                                                                         |
| 3/4"        | 28.5  | M25x1.5     | 5128.028.225                                                                                                      | 0318.000.025                                                                         |
|             |       | M32x1.5     | 5128.028.232                                                                                                      | 0318.000.032                                                                         |
| 1"          | 34.5  | M32x1.5     | 5128.034.232                                                                                                      | 0318.000.032                                                                         |
|             |       | M40x1.5     | 5128.034.240                                                                                                      | 0318.000.040                                                                         |
| 1 1/4"      | 42.5  | M40x1.5     | 5128.042.240                                                                                                      | 0318.000.040                                                                         |
|             |       | M50x1.5     | 5128.042.250                                                                                                      | 0318.000.050                                                                         |
| 1 1/2" - 2" | 54.5  | M50x1.5     | 5128.054.250                                                                                                      | 0318.000.050                                                                         |
|             |       | M63x1.5     | 5128.054.263                                                                                                      | 0318.000.063                                                                         |



|                    |        |             | RQG1             | RQB1-45      | RQW1         | RQB1-90      | RQG3 Female  |                      | RQG                  | RQB45         | RQW          | RQB90        | RQG2 Female  |                      |
|--------------------|--------|-------------|------------------|--------------|--------------|--------------|--------------|----------------------|----------------------|---------------|--------------|--------------|--------------|----------------------|
| Conduit Size Trade | Metric | Thread Size | FLEXAquick IP 66 |              |              |              |              | see website for UNEF | FLEXAquick IP 68/69K |               |              |              |              | see website for UNEF |
| 1/4"               | 10.0   | M10X1.0     | 5020.055.210     | ---          | 5020.051.210 | ---          | ---          | 5020.037.210         | ---                  | 5020.064.210  | ---          | ---          | ---          |                      |
|                    |        | M12X1.5     | 5020.055.211     | 5101.010.212 | ---          | 5104.010.212 | ---          | 5020.065.203         | 5100.010.012         | ---           | 5103.010.212 | 5020.078.201 |              |                      |
|                    |        | 1/4"        | ---              | ---          | ---          | ---          | ---          | 5020.056.201         | ---                  | 5020.057.201  | ---          | ---          |              |                      |
| 5/16"              | 13.0   | M12X1.5     | 5020.055.212     | ---          | 5020.051.212 | -            | 5020.079.215 | 5020.037.212         | ---                  | 5020.064.212  | ---          | ---          | 5020.078.214 |                      |
|                    |        | M16X1.5     | 5020.055.214     | 5101.013.216 | 5020.051.216 | 5104.013.216 | 5020.079.214 | 5020.065.205         | 5100.013.216         | 5020.036.216  | 5103.013.216 | 5020.078.214 |              |                      |
|                    |        | 1/4"        | ---              | ---          | ---          | ----         | ---          | 5020.056.202         | ---                  | 5020.057.202  | ---          | ---          |              |                      |
|                    |        | 3/8"        | ---              | ---          | ---          | ---          | ---          | 5020.056.203         | ---                  | ---           | 5703.013.204 | ---          |              |                      |
| 3/8"               | 15.8   | M16X1.5     | 5020.055.216     | ---          | 5020.051.218 | ---          | 5020.079.216 | 5020.037.216         | ---                  | 5020.064.216  | ---          | ---          | 5020.078.216 |                      |
|                    |        | M20X1.5     | 5020.055.218     | 5101.015.220 | 5020.051.220 | 5104.015.220 | ---          | 5020.065.207         | 5100.015.220         | 5020.036.220  | 5103.015.220 | ---          |              |                      |
|                    |        | 3/8"        | ---              | ---          | ---          | ---          | ---          | 5020.056.204         | ---                  | 5020.057.204  | ---          | ---          |              |                      |
|                    |        | 1/2"        | 5020.046.205     | 5701.015.205 | 5727.015.205 | ---          | ---          | 5020.056.205         | 5020.017.205         | 5020.057.205  | 5703.015.205 | ---          |              |                      |
| 1/2"               | 21.2   | M20X1.5     | 5020.055.220     | 5101.021.220 | 5020.051.222 | 5104.021.220 | 5020.079.220 | 5020.037.220*        | 5100.021.220*        | 5020.064.220* | 5103.021.220 | 5020.078.220 |              |                      |
|                    |        | M25X1.5     | 5020.055.222     | 5101.021.225 | 5020.051.225 | 5104.021.225 | ---          | 5020.065.209*        | 5100.021.225*        | 5020.036.225* | 5103.021.225 | ---          |              |                      |
|                    |        | 1/2"        | 5020.046.206     | 5701.021.205 | 5727.021.205 | ---          | ---          | 5020.056.206*        | 5020.017.206*        | 5020.057.206* | 5020.018.206 | 5020.080.208 |              |                      |
| 3/4"               | 28.5   | M25X1.5     | 5020.055.225     | 5101.028.225 | 5020.051.228 | 5104.028.225 | 5020.079.225 | 5020.037.225*        | 5100.028.225*        | 5020.064.225* | 5103.028.225 | 5020.078.225 |              |                      |
|                    |        | M32X1.5     | 5020.055.228     | 5101.025.232 | 5020.051.232 | 5104.028.232 | ---          | 5020.065.211*        | 5100.028.232*        | 5020.036.232* | 5103.028.232 | ---          |              |                      |
|                    |        | 3/4"        | 5020.046.214     | 5701.028.214 | 5727.028.214 | ---          | ---          | 5020.038.221*        | 5020.017.214*        | 5020.039.221* | 5020.018.214 | 5020.080.214 |              |                      |
| 1"                 | 34.5   | M32X1.5     | 5020.055.232     | 5101.034.232 | 5020.051.234 | 5104.034.232 | 5020.079.232 | 5020.037.232*        | 5100.034.232*        | 5020.064.232* | 5103.034.232 | 5020.078.232 |              |                      |
|                    |        | M40X1.5     | 5020.055.236     | 5101.034.240 | 5020.051.240 | 5104.034.240 | ---          | 5020.037.238*        | 5100.034.240*        | 5020.036.240* | 5103.034.240 | ---          |              |                      |
|                    |        | 1"          | 5020.046.210     | 5701.034.210 | 5727.034.210 | ---          | ---          | 5020.038.227*        | 5020.017.216*        | 5020.039.228* | 5020.018.216 | 5020.080.218 |              |                      |
| 1 1/4"             | 42.5   | M40X1.5     | 5020.055.240     | 5101.042.240 | 5020.051.242 | 5104.042.240 | 5020.079.240 | 5020.037.240*        | 5100.042.240*        | 5020.064.240* | 5103.042.240 | 5020.078.240 |              |                      |
|                    |        | M50X1.5     | 5020.055.245     | 5101.042.250 | 5020.051.250 | 5104.042.250 | ---          | 5020.037.245*        | 5100.042.250*        | 5020.036.250* | 5103.042.250 | ---          |              |                      |
|                    |        | 1 1/4"      | 5020.046.217     | 5701.042.217 | 5727.042.217 | ---          | ---          | 5020.056.207*        | 5020.017.217*        | 5020.057.207* | 5703.042.217 | 5020.080.217 |              |                      |
| 1 1/2" - 2"        | 54.5   | M50X1.5     | 5020.055.250     | 5101.054.250 | 5020.051.254 | 5104.054.250 | ---          | 5020.037.250*        | 5100.054.250*        | 5020.064.250* | 5103.054.250 | 5020.078.250 |              |                      |
|                    |        | M63X1.5     | 5020.055.263     | 5101.054.263 | 5020.051.263 | 5104.054.263 | ---          | 5020.037.263*        | 5100.054.263*        | 5020.036.263* | 5103.054.263 | 5020.078.263 |              |                      |
|                    |        | 1 1/2"      | 5020.046.209     | 5701.054.209 | 5727.054.209 | ---          | ---          | 5020.056.209         | 5020.017.209         | 5020.057.209  | 5020.018.209 | 5020.080.209 |              |                      |
|                    |        | 2"          | ---              | ---          | ---          | ---          | ---          | 5020.056.210*        | 5020.017.210         | 5020.057.210  | 5703.054.238 | ---          |              |                      |

#### Accessories: Lock Nuts / Sealing Washers

| Size Metric | Nylon<br>-40°F ... +212°F | NPB<br>-40°F ... +392°F | NPB/EMC<br>-40°F ... +392°F | For IP 66/68<br>-58°F ... +392°F |
|-------------|---------------------------|-------------------------|-----------------------------|----------------------------------|
| M10X1.0     | 0309.000.210              | 0531.000.010            | ---                         | 0333.001.010                     |
| M12X1.5     | 0309.000.212              | 0531.000.012            | 0561.000.012                | 0333.001.012                     |
| M16X1.5     | 0309.000.216              | 0531.000.016            | 0561.000.016                | 0333.001.016                     |
| M20X1.5     | 0309.000.220              | 0531.000.020            | 0561.000.020                | 0333.001.020                     |
| M25X1.5     | 0309.000.225              | 0531.000.025            | 0561.000.025                | 0333.001.025                     |
| M32X1.5     | 0309.000.232              | 0531.000.032            | 0561.000.032                | 0333.001.032                     |
| M40X1.5     | 0309.000.240              | 0531.000.040            | 0561.000.040                | 0333.001.040                     |
| M50X1.5     | 0309.000.250              | 0531.000.050            | 0561.000.050                | 0333.001.050                     |
| M63X1.5     | 0309.000.263              | 0531.000.063            | 0561.000.063                | 0333.001.063                     |

#### Accessories: Clamps

| Size NPT |  Nylon<br>-40°F ... + 212°F |  NPB<br>-40°F ... + 392°F |  Zinc Plated |  For IP 66/68<br>-58°F ... + 392°F | Conduit Size Trade | Metric |  Clamp w/ Cover Hinged<br>-40°F ... + 248°F |  Clamp Heavy Duty<br>-40°F ... + 248°F |  Clamp Insert<br>-40°F ... + 248°F |
|----------|----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|--------------------|--------|----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| 1/4"     | LNP.B.25                                                                                                       | ---                                                                                                          | ---                                                                                               | 0331.001.002                                                                                                            | 1/4"               | 10.0   | 5030.028.207                                                                                                                     | 5030.020.207                                                                                                                | ---                                                                                                                     |
| 3/8"     | LNP.B.375                                                                                                      | 0531.000.002                                                                                                 | ---                                                                                               | 0331.001.003                                                                                                            | 5/16"              | 13.0   | 5030.028.209                                                                                                                     | 5030.020.209                                                                                                                | ---                                                                                                                     |
| 1/2"     | LNP.B.5                                                                                                        | 0531.000.003                                                                                                 | LNZ.5                                                                                             | SWN.5                                                                                                                   | 3/8"               | 15.8   | 5030.028.211                                                                                                                     | 5030.020.211                                                                                                                | 5020.006.211                                                                                                            |
| 3/4"     | LNP.B.75                                                                                                       | 0531.000.004                                                                                                 | LNZ.75                                                                                            | SWN.75                                                                                                                  | 1/2"               | 21.2   | 5030.028.216                                                                                                                     | 5030.020.216                                                                                                                | 5020.020.216                                                                                                            |
| 1"       | LNP.B.1                                                                                                        | 0531.000.005                                                                                                 | LNZ.1                                                                                             | SWN.1                                                                                                                   | 3/4"               | 28.5   | 5030.028.221                                                                                                                     | 5030.020.221                                                                                                                | 5020.020.221                                                                                                            |
| 1 1/4"   | LNP.B.1.25                                                                                                     | 0531.000.006                                                                                                 | LNZ.1.25                                                                                          | SWN.1.25                                                                                                                | 1"                 | 34.5   | 5030.028.229                                                                                                                     | 5030.020.229                                                                                                                | 5020.020.229                                                                                                            |
| 1 1/2"   | LNP.B.1.5                                                                                                      | 0531.000.007                                                                                                 | LNZ.1.5                                                                                           | SWN.1.5                                                                                                                 | 1 1/4"             | 42.5   | 5030.028.236                                                                                                                     | 5030.020.236                                                                                                                | 5020.020.236                                                                                                            |
| 2"       | LNP.B.2                                                                                                        | 0531.000.008                                                                                                 | LNZ.2                                                                                             | 0331.001.018                                                                                                            | 1 1/2" - 2"        | 54.5   | 5030.028.248                                                                                                                     | 5030.020.248                                                                                                                | 5020.020.248                                                                                                            |

**FLEXAquick**

UI1696 File E86359


**-40°F ... +248°F IP68 / 69K**

|                       |        |                | RQGK               | RQGKZ        | RQBK45       | RQBK90       | RQBK90DR         | RQGK2        |
|-----------------------|--------|----------------|--------------------|--------------|--------------|--------------|------------------|--------------|
| Conduit Size<br>Trade | Metric | Thread<br>Size | With Strain Relief |              |              |              | Turnable Threads | Female       |
| 1/4"                  | 10.0   | M12X1.0        | 5107.010.212       | 5110.010.212 | 5102.010.212 | 5105.010.212 | ---              | 5108.010.212 |
| 5/16"                 | 13.0   | M16X1.5        | 5107.013.216       | 5110.013.216 | 5102.013.216 | 5105.013.216 | ---              | 5108.013.216 |
| 3/8"                  | 15.8   | M20X1.5        | 5107.015.220       | 5110.015.220 | 5102.015.220 | 5105.015.220 | ---              | 5108.015.220 |
| 1/2"                  | 21.2   | M20X1.5        | 5107.021.220       | 5110.021.220 | 5102.021.220 | 5105.021.220 | 5121.021.220     | 5108.021.220 |
|                       |        | M25X1.5        | 5107.021.225       | 5110.021.225 | 5102.021.225 | 5105.021.225 | ---              | 5108.021.225 |
| 3/4"                  | 28.5   | 1/2"           | ---                | ---          | ---          | 5020.022.206 | 5020.019.206     | ---          |
|                       |        | M25X1.5        | 5107.028.225       | 5110.028.225 | 5102.028.225 | 5105.028.225 | 5121.028.225     | 5108.028.225 |
|                       |        | M32X1.5        | 5107.028.232       | 5110.028.232 | 5102.028.232 | 5105.028.232 | ---              | 5108.028.232 |
| 1"                    | 34.5   | 3/4"           | ---                | ---          | ---          | 5020.022.214 | 5020.019.214     | ---          |
|                       |        | M32X1.5        | 5107.034.232       | 5110.034.232 | 5102.034.232 | 5105.034.232 | 5121.034.232     | 5108.034.232 |
|                       |        | M40X1.5        | 5107.034.240       | 5110.034.240 | 5102.034.240 | 5105.034.240 | ---              | 5108.034.240 |
| 1 1/4"                | 42.5   | 1"             | ---                | ---          | ---          | 5020.022.216 | 5020.019.216     | ---          |
|                       |        | M40X1.5        | 5107.042.240       | 5110.042.240 | 5102.042.240 | 5105.042.240 | 5121.042.240     | 5108.042.240 |
|                       |        | M50X1.5        | 5107.042.250       | 5110.042.250 | 5102.042.250 | 5105.042.250 | ---              | 5108.042.250 |
| 1 1/2" - 2"           | 54.5   | 1 1/4"         | ---                | ---          | ---          | 5020.022.217 | 5020.019.217     | ---          |
|                       |        | M63X1.5        | 5107.054.263       | 5110.054.263 | 5102.054.263 | 5105.054.263 | ---              | 5108.054.263 |
|                       |        | 2"             | ---                | ---          | ---          | 5020.022.210 | ---              | ---          |

**FLEXAquick® Advantage**

*Integrated 1 Piece Fitting*  
 Step 1: Cut conduit to length  
 Step 2: Push Conduit in  
**3 Second Termination**

- Quick Connect and Disconnect
- No Specials Tools Required
- No additional parts to lose or forget
- Complete System Integration



|                                                    |      | RQA          | RQE              | RQT-PA |              | RQY-PA |              | RQK-PA       | RQW-F        | RQG1-S    |              |
|----------------------------------------------------|------|--------------|------------------|--------|--------------|--------|--------------|--------------|--------------|-----------|--------------|
|                                                    |      | Smooth Entry | Trim to Cable OD | Output |              | Output |              | Coupler      |              | Cutout mm | Snap-In      |
| -40°F ... +248°F<br>IP68 / 69K<br>For Conduit Size |      |              |                  |        |              |        |              |              |              |           |              |
| 1/4"                                               | 10.0 | 5030.021.207 | 5030.012.207     | ---    |              | ---    |              | ---          | ---          | 12        | 5020.082.207 |
| 5/16"                                              | 13.0 | 5030.027.209 | 5030.012.209     | ---    |              | 2x10.0 | 5020.032.201 | ---          | ---          | 15        | 5020.082.209 |
| 3/8"                                               | 15.8 | 5030.021.211 | 5030.012.211     | 2x15.8 | 5020.041.208 | 2x15.8 | 5020.032.203 | ---          | ---          | 18        | 5020.082.211 |
| 1/2"                                               | 21.2 | 5030.021.216 | 5030.012.216     | 2x21.2 | 5020.041.201 | 2x21.2 | 5020.032.206 | 5602.021.221 | 5020.077.216 | 22        | 5020.082.216 |
| 3/4"                                               | 28.5 | 5030.021.221 | 5030.012.221     | 2x28.5 | 5020.041.202 | 2x28.5 | 5020.032.208 | 5602.028.228 | 5020.077.221 | 28        | 5020.082.221 |
| 1"                                                 | 34.5 | 5030.021.229 | 5030.012.229     | 2x28.5 | 5020.041.210 | 2x28.5 | 5020.032.209 | 5602.034.234 | 5020.077.229 | 37        | 5020.082.229 |
| 1 1/4"                                             | 42.5 | 5030.021.236 | 5030.012.236     | 2x42.5 | 5020.041.212 | 2x42.5 | 5020.032.210 | 5602.042.242 | 5020.077.236 | 47        | 5020.082.236 |
| 1 1/2" - 2"                                        | 54.5 | 5030.021.248 | 5030.012.248     | 2x54.5 | 5020.041.213 | 2x54.5 | 5020.032.211 | 5602.054.254 | 5020.077.248 | 50        | 5020.382.250 |

|                    |      |              | RQGR       |
|--------------------|------|--------------|------------|
|                    |      |              | IP68 / 69K |
| Conduit mm<br>From | To   | Reducer      |            |
| 10.0               | 28.5 | 5601.010.228 |            |
| 13.0               | 15.8 | 5601.013.215 |            |
| 13.0               | 21.2 | 5601.013.221 |            |
| 15.8               | 21.2 | 5601.015.221 |            |
| 15.8               | 28.5 | 5601.015.228 |            |
| 15.8               | 34.5 | 5601.015.234 |            |
| 21.2               | 28.5 | 5601.021.228 |            |
| 21.2               | 34.5 | 5601.021.234 |            |
| 21.2               | 54.5 | 5601.021.254 |            |
| 28.5               | 34.5 | 5601.028.234 |            |
| 28.5               | 42.5 | 5601.028.242 |            |
| 34.5               | 42.5 | 5601.034.242 |            |
| 34.5               | 54.5 | 5601.034.254 |            |
| 42.5               | 54.5 | 5601.042.254 |            |

**AEROSUSA**

service@aerosusa.com

www.aerosusa.com

717.238.1444

**RQK-GW-PA**

| Size | Coupling     |
|------|--------------|
| 42.5 | 5609.042.242 |
| 42.5 | 5609.042.242 |

Consult our website [aerosusa.com](http://aerosusa.com) for full product details and specifications

# AEROSUSA

## Industries



HVAC



General Machine



Heavy Machines



Rail & Transit



Robotics



Marine & Offshore



EV / Hybrid



Renewable Energy



## Other Products


Cable Entry Systems



Cable Glands



## Industry Certifications



*“Unsurpassed in Cable Protection and Strain Relief”*

aerosusa.com  
service@aerosusa.com  
717.238.1444